

Kupfer Rundstangen und Vierkantstangen

Kupfer-Rundstangen

Cu-ETP (CW004A) EN 13601, 13605

E-Cu

Stablängen = ca. 4 m

| Ømm | kg/m | Ømm | kg/m |
|-----|-------|-----|---------|
| 3 | 0,063 | 35 | 8,560 |
| 4 | 0,112 | 40 | 11,200 |
| 5 | 0,175 | 45 | 14,150 |
| 6 | 0,252 | 50 | 17,500 |
| 8 | 0,447 | 60 | 25,200 |
| 10 | 0,699 | 70 | 34,250 |
| 11 | 0,850 | 80 | 44,800 |
| 12 | 1,010 | 90 | 56,700 |
| 14 | 1,370 | 100 | 70,000 |
| 15 | 1,570 | 110 | 85,000 |
| 16 | 1,790 | 120 | 101,000 |
| 18 | 2,270 | 130 | 118,100 |
| 20 | 2,800 | 140 | 137,000 |
| 22 | 3,390 | 150 | 157,000 |
| 25 | 4,370 | 160 | 179,000 |
| 28 | 5,500 | 180 | 226,400 |
| 30 | 6,290 | 200 | 279,500 |
| 32 | 7,200 | | |

Kupfer-Vierkantstangen

Cu-ETP (CW004A) EN 13601, 13605

E-Cu

Stablängen = ca. 4 m

| Ømm | kg/m | Ømm | kg/m |
|-------|--------|---------|---------|
| 6x6 | 0,321 | 40x40 | 14,250 |
| 8x8 | 0,570 | 45x45 | 18,050 |
| 10x10 | 0,890 | 50x50 | 22,250 |
| 12x12 | 1,290 | 60x60 | 32,050 |
| 15x15 | 2,000 | 70x70 | 43,610 |
| 18x18 | 2,880 | 80x80 | 57,000 |
| 20x20 | 3,560 | 100x100 | 89,000 |
| 25x25 | 5,560 | 120x120 | 128,000 |
| 30x30 | 8,010 | | |
| 35x35 | 10,900 | | |